



T. R. ASSOCIATES

Office : Ganesh Meridian, Block No - C, Office No - 605A, Opp. Kargil Petrol Pump, Nr. Sola Over Bridge, B/s. Shapath Hexa, S.G. Highway, Ahmedabad - 380 060.

Laboratory : Opp. New Gujarat High Court, B/h. Satymev Complex, Royal Enfield Show Room Lane, Above Murlidhar Dining Hall, S. g. Highway, Ahmedabad - 380 060.

TEST REPORT

Report No: TRA-07/604/15

Reporting Date: 23.07.2015

Client Name	Formica Laminates (India) Pvt. Ltd.	Sample Code & Stack Attached to	07/604/15
Address	Block No.591/592, 6th K.M. Stone Kalol-Vamaj Road Village: Piyaj Taluka: Kalol - 382721 District: Gandhinagar Gujarat, India.	Nature of Sample	Stack Emission
		Date of Sampling	18.07.2015
		Stack Height	12 m
Sample Received Date	19.07.2015	Stack Diameter	18 inch
Analysis Starts on	20.07.2015	Stack gas Velocity	6.29
Analysis Completion On	21.07.2015	Sample Drawn By	Hemant Patel/Kaushik Parmar
Stack Temperature	152 °C	Flow Rate in m3	0.599
Type of Fuel used	Diesel	Environmental Condition During Sampling	Ambient Temperature
Environmental Condition During Testing	25±5°C	Environmental Condition During Sample receive	Satisfactory

Sr. No.	Parameters	Unit	Results	Sampling Method	Reference Method	GPCB Permissible Limit
1.	PM	mg/Nm3	70.3	IS 11255 (part-1)	IS 11255 (part-1)	150
2.	SO2	PPM	18.3	IS 11255 (part-2)	IS 11255 (part-2)	80
3.	NO2	PPM	12.8	IS 5182 (Part-6)	IS 5182 (Part-6)	50

*NS= Not Specified, **BDL=Below Detectable Limit, ***DL= Detectable Limit*NA= Not Applicable

Analyzed By: <i>Nisha Patel</i>	Approved By: Hetal Patel
Sign: <i>N Patel</i>	Sign: <i>H Patel</i>
Designation: <i>Environmental Chemist</i>	Designation: Technical Manager

Terms & Conditions:

- Analysis is subjected to the conditions received at the laboratory
- Report cannot be used as evidence anywhere without prior permission
- Sample will not be retained after 15 days

TRA/TM/R-01-01
 ISSUE NO: 01
 W.E.F: 01.01.2014
 PAGE NO: 1 of 1

VALUABLE SERVICES

- | | | |
|---|---|--|
| <ul style="list-style-type: none"> • Environmental Clearance • Explosive Consultant • Design and Fabrication of Machinery • Hydrology report / CGWA Application | <ul style="list-style-type: none"> • Valuation of Plant & Machinery • Safety Audit & Risk Assessment • Calibration & Level Indicator of Storage Tank • NABL Accredited Testing Laboratory | <ul style="list-style-type: none"> • Environmental Auditor • Pharma Industry Revised Schedule 'M' • SSI . IEM / NOC / CCA / EC / EIA / CGWA / ETP / STP / IEC • Project report & Project consultancy (Chemical & Pharma) |
|---|---|--|



T. R. ASSOCIATES

Office : Ganesh Meridian, Block No - C, Office No - 605A, Opp. Kargil Petrol Pump, Nr. Sola Over Bridge, B/s. Shapath Hexa, S.G. Highway, Ahmedabad - 380 060.

Laboratory : Opp. New Gujarat High Court, B/h. Satymev Complex, Royal Enfield Show Room Lane, Above Murlidhar Dining Hall, S. g. Highway, Ahmedabad - 380 060.

TEST REPORT

Report No: TRA-07/607/15

Reporting Date: 23.07.2015

Client Name	Formica Laminates (India) Pvt. Ltd.	Sample Code	07/607/15
Address	Block No.591/592, 6th K.M. Stone Kalol-Vamaj Road Village: Piyaj Taluka: Kalol - 382721 District: Gandhinagar Gujarat, India.	Date and Time of Sampling Start	18/07/2015 (10:05 AM)
		Date and Time of Sampling Completed	18/07/2015 (18:05 PM)
Analysis Completion On	22.07.2015	Total hrs of Sampling	8.00 hrs
Ambient Location	Nr Main Gate	Sample Drawn By	Hemant Patel/Kaushik Parmar
Nature of Sample	Ambient air	Environmental Condition During Sampling	Ambient Temperature
Sample Receiving Date	19.07.2015		
Environmental Condition During Testing	25±5°C	Environmental Condition During Sample receive	Satisfactory

Sr. No.	Parameters	Unit	Results	Sampling Method	Reference Method	GPCB Permissible Limit
5.	PM-10	µg/m3	73.0	IS 5182 (Part-23)	IS 5182 (Part-23)	100
6.	PM-2.5	µg/m3	30.0	STP No. TRA/STP/AA/02 based on instrument manufactures Manual	STP No. TRA/STP/AA/02 based on instrument manufactures Manual	60
7.	SO2	µg/m3	12.5	IS 5182 (Part-2)	IS 5182 (Part-2)	80
8.	NO2	µg/m3	13.2	IS 5182 (Part-6)	IS 5182 (Part-6)	80

*NS= Not Specified, **BDL=Below Detectable Limit, ***DL= Detectable Limit

Analyzed By: <i>Nishu Patel</i> Sign: <i>Nishu Patel</i> Designation: Environmental Chemist	Approved By: Hetal Patel Sign: <i>H. Patel</i> Designation: Technical Manager
---	---

TRA/TM/R-41-01
 ISSUE NO: 01
 W.E.F:01.01.2014
 PAGE NO: 1 of 1

VALUABLE SERVICES

- | | | |
|---|---|--|
| <ul style="list-style-type: none"> • Environmental Clearance • Explosive Consultant • Design and Fabrication of Machinery • Hydrology report / CGWA Application | <ul style="list-style-type: none"> • Valuation of Plant & Machinery • Safety Audit & Risk Assessment • Calibration & Level Indicator of Storage Tank • NABL Accredited Testing Laboratory | <ul style="list-style-type: none"> • Environmental Auditor • Pharma Industry Revised Schedule 'M' • SSI . IEM / NOC / CCA / EC / EIA / CGWA / ETP / STP / IEC • Project report & Project consultancy (Chemical & Pharma) |
|---|---|--|



T. R. ASSOCIATES

Office : Ganesh Meridian, Block No - C, Office No - 605A, Opp. Kargil Petrol Pump, Nr. Sola Over Bridge, B/s. Shapath Hexa, S.G. Highway, Ahmedabad - 380 060.

Laboratory : Opp. New Gujarat High Court, B/h. Satymev Complex, Royal Enfield Show Room Lane, Above Murlidhar Dining Hall, S. g. Highway, Ahmedabad - 380 060.

TEST REPORT

Report No: TRA-07/606/15

Reporting Date: 23.07.2015

Client Name	Formica Laminates (India) Pvt. Ltd.	Sample Code	07/606/15
Address	Block No.591/592, 6th K.M. Stone Kalol-Vamaj Road Village: Piyaj Taluka: Kalol - 382721 District: Gandhinagar Gujarat, India.	Date and Time of Sampling Start	18/07/2015 (09:20 AM)
		Date and Time of Sampling Completed	18/07/2015 (17:20 PM)
Analysis Completion On	22.07.2015	Total hrs of Sampling	8.00 hrs
Ambient Location	Nr ADM Office	Sample Drawn By	Hemant Patel/Kaushik Parmar
Nature of Sample	Ambient air	Environmental Condition During Sampling	Ambient Temperature
Sample Receiving Date	19.07.2015		
Environmental Condition During Testing	25±5°C	Environmental Condition During Sample receive	Satisfactory

Sr. No.	Parameters	Unit	Results	Sampling Method	Reference Method	GPCB Permissible Limit
1.	PM-10	µg/m ³	80.0	IS 5182 (Part-23)	IS 5182 (Part-23)	100
2.	PM-2.5	µg/m ³	32.0	STP No. TRA/STP/AA/02 based on instrument manufactures Manual	STP No. TRA/STP/AA/02 based on instrument manufactures Manual	60
3.	SO ₂	µg/m ³	8.8	IS 5182 (Part-2)	IS 5182 (Part-2)	80
4.	NO ₂	µg/m ³	12.3	IS 5182 (Part-6)	IS 5182 (Part-6)	80

*NS= Not Specified, **BDL=Below Detectable Limit, ***DL= Detectable Limit

Analyzed By: <i>Nisha Patel</i> Sign: <i>Nisha Patel</i> Designation: Environmental Chemist	Approved By: Hetal Patel Sign: <i>Hetal Patel</i> Designation: Technical Manager
---	--

TRA/TM/R-41-01
 ISSUE NO: 01
 W.E.F:01.01.2014
 PAGE NO: 1 of 1

VALUABLE SERVICES

- Environmental Clearance
- Explosive Consultant
- Design and Fabrication of Machinery
- Hydrology report / CGWA Application

- Valuation of Plant & Machinery
- Safety Audit & Risk Assessment
- Calibration & Level Indicator of Storage Tank
- NABL Accredited Testing Laboratory

- Environmental Auditor
- Pharma Industry Revised Schedule 'M'
- SSI / IEM / NOC / CCA / EC / EIA / CGWA / ETP / STP / IEC
- Project report & Project consultancy (Chemical & Pharma)



T. R. ASSOCIATES

Office : Ganesh Meridian, Block No - C, Office No - 605A, Opp. Kargil Petrol Pump, Nr. Sola Over Bridge, B/s. Shapath Hexa, S.G. Highway, Ahmedabad - 380 060.

Laboratory : Opp. New Gujarat High Court, B/h. Satymev Complex, Royal Enfield Show Room Lane, Above Murlidhar Dining Hall, S. g. Highway, Ahmedabad - 380 060.

TEST REPORT

Report No: TRA-07/605/15

Reporting Date: 23.07.2015

Client Name	Formica Laminates (India) Pvt. Ltd.	Sample Code & Stack Attached to	07/605/15
Address	Block No.591/592, 6th K.M. Stone Kalol-Vamaj Road Village: Piya Taluka: Kalol - 382721 District: Gandhinagar Gujarat, India.	Nature of Sample	Dust Collector
Sample Received Date	19.07.2015	Date of Sampling	18.07.2015
Analysis Starts on	20.07.2015	Stack Height	12 m
Analysis Completion On	21.07.2015	Stack Diameter	1 ft
Stack Temperature	45°C	Stack gas Velocity	10.53
Type of Fuel used	-	Sample Drawn By	Hemant Patel/Kaushik Parmar
Environmental Condition During Testing	25±5°C	Flow Rate in m3	0.581
		Environmental Condition During Sampling	Ambient Temperature
		Environmental Condition During Sample receive	Satisfactory

Sr. No.	Parameters	Unit	Results	Sampling Method	Reference Method	GPCB Permissible Limit
1.	PM	mg/Nm3	16.6	IS 11255 (part-1)	IS 11255 (part-1)	150

*NS= Not Specified, **BDL=Below Detectable Limit, ***DL= Detectable Limit*NA= Not Applicable

Analyzed By: <u>Nisha Patel</u>	Approved By: <u>Hetal Patel</u>
Sign: <u>[Signature]</u>	Sign: <u>[Signature]</u>
Designation: <u>Environmental chemist</u>	Designation: <u>Technical Manager</u>

Terms & Conditions:

- Analysis is subjected to the conditions received at the laboratory
- Report cannot be used as evidence anywhere without prior permission
- Sample will not be retained after 15 days

TRA/TM/R-41-01
 ISSUE NO: 01
 W.E.F: 01.01.2014
 PAGE NO: 1 of 1

VALUABLE SERVICES

- | | | |
|---|---|--|
| <ul style="list-style-type: none"> • Environmental Clearance • Explosive Consultant • Design and Fabrication of Machinery • Hydrology report / CGWA Application | <ul style="list-style-type: none"> • Valuation of Plant & Machinery • Safety Audit & Risk Assessment • Calibration & Level Indicator of Storage Tank • NABL Accredited Testing Laboratory | <ul style="list-style-type: none"> • Environmental Auditor • Pharma Industry Revised Schedule 'M' • SSI / IEM / NOC / CCA / EC / EIA / CGWA / ETP / STP / IEC • Project report & Project consultancy (Chemical & Pharma) |
|---|---|--|



T. R. ASSOCIATES

Office : Ganesh Meridian, Block No - C, Office No - 605A, Opp. Kargil Petrol Pump, Nr. Sola Over Bridge, B/s. Shapath Hexa, S.G. Highway, Ahmedabad - 380 060.

Laboratory : Opp. New Gujarat High Court, B/h. Satyamev Complex, Royal Enfield Show Room Lane, Above Murlidhar Dining Hall, S. g. Highway, Ahmedabad - 380 060.

TEST REPORT

Report No: TRA-07/609/15

Reporting Date: 23.07.2015

Client Name	Formica Laminates (India) Pvt. Ltd.	Sample Code & Stack Attached to	07/609/15
Address	Block No.591/592, 6th K.M. Stone Kalol-Vamaj Road Village: Piyaj Taluka: Kalol - 382721 District: Gandhinagar Gujarat, India.	Nature of Sample	Stack Emission
		Date of Sampling	18.07.2015
		Stack Height	30 m
Sample Received Date	19.07.2015	Stack Diameter	4 ft
Analysis Starts on	20.07.2015	Stack gas Velocity	8.22
Analysis Completion On	21.07.2015	Sample Drawn By	Hemant Patel/Kaushik Parmar
Stack Temperature	123 °C	Flow Rate in m3	
Type of Fuel used	Imported Coal	Environmental Condition During Sampling	Ambient Temperature
Environmental Condition During Testing	25±5°C	Environmental Condition During Sample receive	Satisfactory

Sr. No.	Parameters	Unit	Results	Sampling Method	Reference Method	GPCB Permissible Limit
4.	PM	mg/Nm3	71.1	IS 11255 (part-1)	IS 11255 (part-1)	150
5.	SO2	PPM	10.2	IS 11255 (part-2)	IS 11255 (part-2)	80
6.	NO2	PPM	7.6	IS 5182 (Part-6)	IS 5182 (Part-6)	50

*NS= Not Specified, **BDL=Below Detectable Limit, ***DL= Detectable Limit*NA= Not Applicable

Analyzed By: <i>Nisha Patel</i>	Approved By: Hetal Patel
Sign: <i>Nisha Patel</i>	Sign: <i>Hetal Patel</i>
Designation: <i>Environmental chemist</i>	Designation: Technical Manager

Terms & Conditions:

- Analysis is subjected to the conditions received at the laboratory
- Report cannot be used as evidence anywhere without prior permission
- Sample will not be retained after 15 days

TRA/TM/R-41-01
 ISSUE NO: 01
 W.E.F: 01.01.2014
 PAGE NO: 1 of 1

VALUABLE SERVICES

• Environmental Clearance
 • Explosive Consultant
 • Design and Fabrication of Machinery
 • Hydrology report / CGWA Application

• Valuation of Plant & Machinery
 • Safety Audit & Risk Assessment
 • Calibration & Level Indicator of Storage Tank
 • NABL Accredited Testing Laboratory

• Environmental Auditor
 • Pharma Industry Revised Schedule 'M'
 • SSI / IEM / NOC / CCA / EC / EIA / CGWA / ETP / STP / IEC
 • Project report & Project consultancy (Chemical & Pharma)



T. R. ASSOCIATES

Office : Ganesh Meridian, Block No - C, Office No - 605A, Opp. Kargil Petrol Pump, Nr. Sola Over Bridge, B/s. Shapath Hexa, S.G. Highway, Ahmedabad - 380 060.

Laboratory : Opp. New Gujarat High Court, B/h. Satyamev Complex, Royal Enfield Show Room Lane, Above Murlidhar Dining Hall, S. g. Highway, Ahmedabad - 380 060.

TEST REPORT

Report No: TRA-07/610/2015

Date: 23.07.2015

Company Name	Formica Laminates (India) Pvt. Ltd.	Sample Code & Sample Description	07/610/15
Address	Block No.591/592, 6th K.M. Stone Kalol-Vamaj Road Village: Piya Taluka: Kalol - 382721 District: Gandhinagar Gujarat, India.	Nature of Sample	Sewage Water
		Quantity	Waste Water Sample
		Date of Sampling	1000 ml
Sample Received Date	19.07.2015	Sampling Instrument	18.07.2015
Analysis Starts on	19.07.2015	Sampling Method	N.A
Analysis Completion On	22.07.2015	Sample Drawn By	APHA/IS - 3025
			Hemant Patel/Kaushik parmar

Sr. No.	Parameters	Unit	Results	Sampling Method	Reference Method	GPCB Permissible Limits
1.	pH@25°C	-	7.53	IS 3025(Part 01)	IS 3025(Part 11)	6.5 to 8.5
2.	BOD	mg/L	17.0	IS 3025(Part 01)	IS 3025[(Part-16)	20
3.	Total Suspended Solids	mg/L	14.0	IS 3025(Part 01)	IS 3025[(Part-17)	30
4.	Residual Chlorine	mg/L	0.5	IS 3025(Part 01)	APHA 4500 E	0.5 minimum

*NS= Not Specified, **BDL=Below Detectable Limit.

Analyzed By: Nisha Patel Sign: Designation: Environment chemist	Approved By: Hetal Patel Sign: Designation: Technical Manager
---	---

Terms & Conditions:

- Analysis is subjected to the conditions received at the laboratory
- Report cannot be used as evidence anywhere without prior permission
- Sample will not be retained after 15 days

TRA/TM/B-41-01
 ISSUE NO: 01
 W.E.F: 01.01.2014
 PAGE NO: 1 of 1

VALUABLE SERVICES

- | | | |
|---|---|--|
| <ul style="list-style-type: none"> • Environmental Clearance • Explosive Consultant • Design and Fabrication of Machinery • Hydrology report / CGWA Application | <ul style="list-style-type: none"> • Valuation of Plant & Machinery • Safety Audit & Risk Assessment • Calibration & Level Indicator of Storage Tank • NABL Accredited Testing Laboratory | <ul style="list-style-type: none"> • Environmental Auditor • Pharma Industry Revised Schedule 'M' • SSI . IEM / NOC / CCA / EC / EIA / CGWA / ETP / STP / IEC • Project report & Project consultancy (Chemical & Pharma) |
|---|---|--|



T. R. ASSOCIATES

Office : Ganesh Meridian, Block No - C, Office No - 605A, Opp. Kargil Petrol Pump, Nr. Sola Over Bridge, B/s. Shapath Hexa, S.G. Highway, Ahmedabad - 380 060.

Laboratory : Opp. New Gujarat High Court, B/h. Satymev Complex, Royal Enfield Show Room Lane, Above Murlidhar Dining Hall, S. g. Highway, Ahmedabad - 380 060.

TEST REPORT

Report No: TRA-07/611/2015

Date: 23.07.2015

Company Name	Formica Laminates (India) Pvt. Ltd.	Sample Code & Sample Description	07/611/15
Address	Block No.591/592, 6th K.M. Stone Kalol-Vamaj Road Village: Piyaj Taluka: Kalol - 382721 District: Gandhinagar Gujarat, India.	Nature of Sample	Drinking Water
		Quantity	Water Sample
		Date of Sampling	1000 ml +1000 ml
Sample Received Date	19.07.2015	Sampling Instrument	18.07.2015
Analysis Starts on	19.07.2015	Sampling Method	N.A
Analysis Completion On	22.07.2015	Sample Drawn By	APHA/IS - 3025
			Hemant Patel/Kaushik parmar

Sr. No.	Parameters	Unit	Results	Sampling Method	Reference Method	GPCB Permissible Limits
5.	pH@25°C	-	6.98	IS 3025(Part 01)	IS 3025(Part 11)	6.5 to 8.5
6.	Colour	CU	B.D.L(DL=5)	IS 3025(Part 01)	APHA (22nd Ed)- 3500-B	Absent
7.	Temperature	°C	30	IS 3025(Part 01)	IS 3025(Part 9)	40
8.	Chloride	mg/L	53	IS 3025(Part 01)	IS 3025(Part32)	250
9.	Sulphate	mg/L	B.D.L(DL=2)	IS 3025(Part 01)	APHA (22nd Ed)-4500 SO4-2 E	200
10.	Total Hardness	mg/L	26	IS 3025(Part 01)	APHA (22nd Ed)-2340-C:	300
11.	Calcium Hardness	mg/L	16	IS 3025(Part 01)	APHA (22nd Ed)- 3500-Ca: b	-
12.	Magnesium Hardness	mg/L	10	IS 3025(Part 01)	APHA (22nd Ed)- 3500-Mg:B	-
13.	Calcium	mg/L	11	IS 3025(Part 01)	APHA (22nd Ed)-3500 Ca B	75
14.	Magnesium	mg/L	2.4	IS 3025(Part 01)	APHA (22nd Ed)-3500 Mg B	30
15.	Total Dissolved solids	mg/L	320	IS 3025(Part 01)	IS 3025[(Part-16)	500
16.	Total Suspended Solids	mg/L	B.D.L(DL=2)	IS 3025(Part 01)	IS 3025[(Part-17)	30
17.	Oil & Grease	mg/L	B.D.L(DL=2)	IS 3025(Part 01)	IS 3025[(Part 39)	Absent
18.	Zinc	mg/L	B.D.L	IS 3025(Part 01)	APHA ,3111-B 21 st ED.,2005	5.0
19.	Fluoride	mg/L	B.D.L	IS 3025(Part 01)	APHA ,3111-B 21 st ED.,2005	2.0
20.	Hexa Chromium	mg/L	B.D.L	IS 3025(Part 01)	APHA ,3111-B 21 st ED.,2005	0.1

Terms & Conditions:

- Analysis is subjected to the conditions received at the laboratory
- Report cannot be used as evidence anywhere without prior permission
- Sample will not be retained after 15 days

TRA/TM/R-01-01
 ISSUE NO: 01
 W.E.F:01.01.2014
 PAGE NO: 1 of 1

VALUABLE SERVICES

- | | | |
|---|---|--|
| <ul style="list-style-type: none"> • Environmental Clearance • Explosive Consultant • Design and Fabrication of Machinery • Hydrology report / CGWA Application | <ul style="list-style-type: none"> • Valuation of Plant & Machinery • Safety Audit & Risk Assessment • Calibration & Level Indicator of Storage Tank • NABL Accredited Testing Laboratory | <ul style="list-style-type: none"> • Environmental Auditor • Pharma Industry Revised Schedule 'M' • SSI / IEM / NOC / CCA / EC / EIA / CGWA / ETP / STP / IEC • Project report & Project consultancy (Chemical & Pharma) |
|---|---|--|

21.	Total Chromium	mg/L	B.D.L	IS 3025(Part 01)	APHA ,3111-B 21 st ED.,2005	2.0
22.	Copper	mg/L	B.D.L	IS 3025(Part 01)	APHA ,3111-B 21 st ED.,2005	3.0
23.	Lead	mg/L	B.D.L	IS 3025(Part 01)	APHA ,3111-B 21 st ED.,2005	0.1
24.	Iron	mg/L	B.D.L	IS 3025(Part 01)	APHA ,3111-B 21 st ED.,2005	0.3

*NS= Not Specified, **BDL=Below Detectable Limit.

Analyzed By: Nisha Patel Sign:  Designation: Environment chemist	Approved By: Hetal Patel Sign:  Designation: Technical Manager
---	---

Terms & Conditions:

- Analysis is subjected to the conditions received at the laboratory
- Report cannot be used as evidence anywhere without prior permission
- Sample will not be retained after 15 days



T. R. ASSOCIATES

Office : Ganesh Meridian, Block No - C, Office No - 605A, Opp. Kargil Petrol Pump, Nr. Sola Over Bridge, B/s. Shapath Hexa, S.G. Highway, Ahmedabad - 380 060.

Laboratory : Opp. New Gujarat High Court, B/h. Satymev Complex, Royal Enfield Show Room Lane, Above Murlidhar Dining Hall, S. g. Highway, Ahmedabad - 380 060.

TEST REPORT

Reporting Date: 23.07.2015

Client Name	Formica Laminates (India) Pvt. Ltd.	Sampling Date	18.07.2015
Address	Block No.591/592, 6th K.M. Stone Kalol-Vamaj Road Village: Piya Taluka: Kalol - 382721 District: Gandhinagar Gujarat, India.	Operating Condition of Source	Satisfactory
Sampling Instruments	Noise Meter-Lutron SL4001	Sample Drawn By	Hemant Patel/Kaushik Parmar

Sr. No.	Location of Sampling	Results	Time of Monitoring	Unit	Sampling Method	GPCB Permissible Limit
1.	Near Office	66.6	11:10 AM	dB (A)	IS 9989:1991	75
2.	Near Main Gate	70.7	11:45 AM	dB (A)	IS 9989:1991	75
3.	Near Production House	74.2	12:50 AM	dB (A)	IS 9989:1991	75
4.	Near Weigh Bridge	68.5	02:30 AM	dB (A)	IS 9989:1991	75
5.	Production press area	79.2	03:08 AM	dB (A)	IS 9989:1991	75
6.	Resin section	73.2	04:00 AM	dB (A)	IS 9989:1991	75
7.	Near Boiler	79.8	04:15 AM	dB (A)	IS 9989:1991	75
8.	Near Engineering store	64.2	04:38 AM	dB (A)	IS 9989:1991	75

Day Time 6:00 AM TO 10:00 PM

Day Time 10:00 PM TO 06:00 AM

Approved By: Hetal Patel

Sign: 
 Designation: Technical Manager

TRA/TM/R-41-01
 ISSUE NO: 01
 W.E.F: 01.01.2014
 PAGE NO: 1 of 1

VALUABLE SERVICES

- Environmental Clearance
- Explosive Consultant
- Design and Fabrication of Machinery
- Hydrology report / CGWA Application

- Valuation of Plant & Machinery
- Safety Audit & Risk Assessment
- Calibration & Level Indicator of Storage Tank
- NABL Accredited Testing Laboratory

- Environmental Auditor
- Pharma Industry Revised Schedule 'M'
- SSI . IEM / NOC / CCA / EC / EIA / CGWA / ETP / STP / IEC
- Project report & Project consultancy (Chemical & Pharma)



T. R. ASSOCIATES

Office : Ganesh Meridian, Block No - C, Office No - 605A, Opp. Kargil Petrol Pump, Nr. Sola Over Bridge,
B/s. Shapath Hexa, S.G. Highway, Ahmedabad - 380 060.

Laboratory : Opp. New Gujarat High Court, B/h. Satyamev Complex, Royal Enfield Show Room Lane,
Above Murlidhar Dining Hall, S. g. Highway, Ahmedabad - 380 060.

Date: 24/07/2015

Form - 37

(Prescribed under Rule 12 - B)

**Register containing particulars of monitoring of working environment
required under Section - 7 - A (a)(e).**

1. Name of the Department / Plant : M/s. Formica Laminates P ltd

Block No.591/592, 6th K.M. Stone

Kalol-Vamaj Road Village: Piyaj

Taluka: Kalol - 382721

District: Gandhinagar

Gujarat, India.

**2. Raw Materials, by-products and finished products involved in the
process.**

List of Finished Products

Sr. No.	Name of the Finished products
1	PF Resin
	MF Resin

List of Raw materials

Sr. No.	Name of the Raw Materials
1.	Phenol
2.	Formaldehyde (37%)
3.	Methanol
4.	Caustic

T. R. ASSOCIATES

[Signature]
Prop./Authorised Signatory.

VALUABLE SERVICES


- Environmental Clearance
- Explosive Consultant
- Design and Fabrication of Machinery
- Hydrology report / CGWA Application

- Valuation of Plant & Machinery
- Safety Audit & Risk Assessment
- Calibration & Level Indicator of Storage Tank
- NABL Accredited Testing Laboratory

- Environmental Auditor
- Pharma Industry Revised Schedule 'M'
- SSI / IEM / NOC / CCA / EC / EIA / CGWA / ETP / STP / IEC
- Project report & Project consultancy (Chemical & Pharma)

Particulars of sampling

Sr. No.	Location / Operation Mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Average
				Number of samples	Range	
1	2	3	4	5	6	7
1	Nr PF Treated (wet end)	PM ₁₀ , PM _{2.5} , SO ₂ , NO ₂ & VOCs	Ecotech PM Combo sampler, Gaseous attachment	Analysis Report is attached as Annexure - 1		

TWA Concentration (As given in Section 41f second schedule)	Reference method	No. of workers at the location being monitored	Remarks	Signature of person taking samples	Name (in block letters)
8	9	10	11	12	13
Standard Permissible Limit	IS – 5182 & EN - 12341	Nos.	-----		T. R. PATEL
Methanol – 200 ppm		08			
Phenol 5 ppm					
Formaldehyde-- 0.75 ppm					

T. R. ASSOCIATES

Prop./Authorised Signatory





T. R. ASSOCIATES

Office : Ganesh Meridian, Block No - C, Office No - 605A, Opp. Kargil Petrol Pump, Nr. Sola Over Bridge, B/s. Shapath Hexa, S.G. Highway, Ahmedabad - 380 060.

Laboratory : Opp. New Gujarat High Court, B/h. Satyamev Complex, Royal Enfield Show Room Lane, Above Murlidhar Dining Hall, S. g. Highway, Ahmedabad - 380 060.

TEST REPORT

Report No: TRA-07/608/15

Reporting Date: 23.07.2015

Client Name	Formica Laminates (India) Pvt. Ltd.	Sample Code	07/608/15
Address	Block No.591/592, 6th K.M. Stone Kalol-Vamaj Road Village: Piyaj Taluka: Kalol - 382721 District: Gandhinagar Gujarat, India.	Date and Time of Sampling Start	18/07/2015 (10:40 AM)
		Date and Time of Sampling Completed	18/07/2015 (18:40 PM)
Analysis Completion On	22.07.2015	Total hrs of Sampling	8.00 hrs
Ambient Location	Nr PF Treater	Sample Drawn By	Hemant Patel/Kaushik Parmar
Nature of Sample	Ambient air	Environmental Condition During Sampling	Ambient Temperature
Sample Receiving Date	19.07.2015		
Environmental Condition During Testing	25±5°C	Environmental Condition During Sample receive	Satisfactory

Sr. No.	Parameters	Unit	Results	Sampling Method	Reference Method	GPCB Permissible Limit
9.	PM-10	µg/m3	75.0	IS 5182 (Part-23)	IS 5182 (Part-23)	100
10.	PM-2.5	µg/m3	28.3	STP No. TRA/STP/AA/02 based on instrument manufactures Manual	STP No. TRA/STP/AA/02 based on instrument manufactures Manual	60
11.	SO2	µg/m3	11.3	IS 5182 (Part-2)	IS 5182 (Part-2)	80
12.	NO2	µg/m3	16.8	IS 5182 (Part-6)	IS 5182 (Part-6)	80

*NS= Not Specified, **BDL=Below Detectable Limit, ***DL= Detectable Limit

Analyzed By: <i>Nisha Patel</i> Sign: <i>N Patel</i> Designation: Environmental Chemist	Approved By: Hetal Patel Sign: <i>H Patel</i> Designation: Technical Manager
---	--

TRA/TM/R-41-01
 ISSUE NO: 01
 W.E.P:01.01.2014
 PAGE NO: 1 of 1

VALUABLE SERVICES

- | | | |
|---|---|--|
| <ul style="list-style-type: none"> • Environmental Clearance • Explosive Consultant • Design and Fabrication of Machinery • Hydrology report / CGWA Application | <ul style="list-style-type: none"> • Valuation of Plant & Machinery • Safety Audit & Risk Assessment • Calibration & Level Indicator of Storage Tank • NABL Accredited Testing Laboratory | <ul style="list-style-type: none"> • Environmental Auditor • Pharma Industry Revised Schedule 'M' • SSI . IEM / NOC / CCA / EC / EIA / CGWA / ETP / STP / IEC • Project report & Project consultancy (Chemical & Pharma) |
|---|---|--|

TEST REPORT

Report No. : GL/GR-P/07/2015/84
Sample submitted by : Formica Laminates Pvt. Ltd
Kalol Varnaj Road,,
Vill. Piyaj – Ta. Kalol, Dist. Gandhinagar
Page : 1 of 1
Date of Receipt : 22/07/2015
Ref.No.& Dt. : NM
Sample Described As : VOC Sample
Batch No : NM
Mode of Packing : Sample packed in Balloon
Mfg. Date : NM
Marking : NM
Exp.Date : NM
Sample Condition : Satisfactory
Sample Qty. : 1 Balloon
Analysis Date : 22/07/2015
Report Date : 24/07/2015

PART A. TEST RESULTS

Sr. No.	Test Name	Results	Method of Test
V.O.C.			
1	Benzene, $\mu\text{g}/\text{M}^3$	Not Detected	EPA
2	Toluene, $\mu\text{g}/\text{M}^3$	Not Detected	EPA
3	Xylene, $\mu\text{g}/\text{M}^3$	Not Detected	EPA
4	Total VOC $\mu\text{g}/\text{M}^3$	Not Detected	EPA

N.M.=Not Mentioned

For, Gujarat Laboratory

(Rupesh Desai)

Authorised Signatory

***** End of Test Report*****

Note:

- The Result refer only to the tested sample & applicable parameters, Endorsement of products is neither inferred nor implied.
- Total liability of our institution is limited to the invoice amount/testing charges.
- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Sample drawn & submitted by the party for analysis unless otherwise stated.
- Gujarat Laboratory maintains strict confidentiality of all the analysis and test results and customer supplied product and will not reveal this information to third party unless required by the statutory or legal requirement.
- Subject to Ahmedabad Jurisdiction.
- Perishable samples will be destroyed after testing, others after three weeks from the date of issue of the report, unless otherwise agreed with the customer.
- The sample is accepted by us subject to our general conditions of services which is displayed at reception notice Board & is also available on request. Attention is drawn to the limitation of liabilities; Indemnification and jurisdictional issues etc defined therein.
- Customer requested for the above test only.